


senior**care**

DATA SHEET

BASIC CLINIC



Polyurethane mattress designed for a perfect adaptation on adjustable beds in elderly care facilities, hospitals, and homes.

Mattress block

Core with flexible polyurethane HR foam, with a density of 28 kg/m³. Thickness 15 cm. Flexible for a perfect adaptation to the movements of electric beds.

Cover

Waterproof and breathable bi-elastic polyurethane cover with anti-dust mite and anti-bacterial treatment, free from hazardous compounds and chemicals. L-shaped zipper for easy removal. Washable up to 90°.

Certifications

The cover is fire-resistant, complying with the BS7175 CRIB 5 standards. It also holds an Oeko-Tex certificate, ensuring that all materials used in its manufacturing are not harmful to the user's health.

Seniorcare Interiors holds the ISO 9001 and ISO 14001 certifications, attesting that its work processes maintain a high standard of quality, covering the entire product lifecycle from the design phase to production and subsequent distribution of the product.



Seniorcare Interiors is certified to ISO 9001 and ISO 14001 standards.

BASIC CLINIC mattress 15 cm HR




CODE	width	length	thickness
BCL0090HR	90	190	15
BCL0105HR	105	190	15

senior**care**

DATA SHEET

VISCO CLINIC



Polyurethane mattress designed for a perfect adaptation on adjustable beds in elderly care facilities, hospitals, and homes.

Mattress block

15cm slotted core for a perfect adaptation to the movement of electric beds.

The block is formed on its lower part by 10 cm of flexible and HR polyurethane foam with a density of 30 kg/m³. On its upper part, for maximum user adaptation and comfort, the block contains 5 cm of Termofom viscoelastic foam with a density of 50kg/m³.

Cover

Waterproof and breathable bi-elastic polyurethane cover with anti-dust mite and anti-bacterial treatment, free from hazardous compounds and chemicals.

L-shaped zipper for easy removal. Washable up to 90°.

Certifications


The cover is fire-resistant, complying with the BS7175 CRIB 5 standards. It also holds an Oko-Tex certificate, ensuring that all materials used in its manufacturing are not harmful to the user's health.

Seniorcare Interiors holds the ISO 9001 and ISO 14001 certifications, attesting that its work processes maintain a high standard of quality, covering the entire product lifecycle from the design phase to production and subsequent distribution of the product.



Seniorcare Interiors is certified to ISO 9001 and ISO 14001 standards.



VISCO CLINIC mattress 10 cm HR + 5 cm visco



CODE

VCL0090VI
VCL0105VI

width	length	thickness
90	190	15
105	190	15



1. FIRE-RETARDANT ALOE VERA STRETCH FABRIC – SOFT TOUCH HIGH WEIGHT
2. VISCOELASTIC V1 + MEDIUM POLYURETHANE + NATURAL BREATHABLE AND HEAT-REGULATING FIBRES + TNT FABRIC
3. EXTRA FIRM FOAM SHEET SEPARATOR AND CARCASS PROTECTOR
4. 5-ZONE POCKET SPRING UNIT + EXTRA FIRM PERIMETER REINFORCEMENT
5. EXTRA FIRM FOAM SHEET SEPARATOR AND CARCASS PROTECTOR
6. VISCOELASTIC V1 + NATURAL BREATHABLE AND HEAT-REGULATING FIBRES + TNT FABRIC
7. FIRE-RETARDANT ALOE VERA STRETCH FABRIC SOFT TOUCH HIGH WEIGHT

APRIL is the best choice for outfitting all kinds of facilities. It offers great firmness and adaptability with an excellent combination of cutting-edge materials. This mattress is particularly suitable for public and collective installations, complying with the UNE-EN 597/1-2 standard.

Thickness 27 – 26 CM

Composition

Top layer: flame retardant Stretch fabric + 10 mm viscoelastic + 20 mm foam + 150 g fibre + 15 gr TNT

Core: HBS System springs (pocket springs)

Bottom layer: flame retardant Stretch fabric + 10 mm viscoelastic + 20 mm foam + 150 g fibre + 15 gr TNT

Side band:

Fabric: flame retardant Stretch fabric + 160 g fibre + 30 gr TNT

Features

Internally, it is equipped with a pocket spring structure arranged in a honeycomb pattern, providing exceptional comfort. This type of springs enhances the autonomy of each user in relaxation areas, reducing pressure points, and facilitating bed independence.

APRIL is breathable, promoting the evaporation of heat and moisture from the mattress, contributing to a great sense of comfort. Its fabric also stands out for its hypoallergenic treatment, protecting the user against microorganisms, bacteria, and dust mites.

It comes with side handles for easy handling.

Certifications

The mattress is fire-resistant, complying with the UNE-EN 597/1-2 standard for maximum safety and protection against fire.

It holds the OEKO-TEX® certificate, ensuring that all materials used in its manufacturing are not harmful to the user's health.

Seniorcare Interiors holds the ISO 9001 and ISO 14001 certifications, attesting that its work processes maintain a high standard of quality, covering the entire product lifecycle from the design phase to production and subsequent distribution of the product.




Seniorcare Interiors is certified to ISO 9001 and ISO 14001 standards.



V2 - S/V




Interior lumbar reinforcement



Bonnell spring



TOTAL HEIGHT



1. FIRE-RETARDANT STRETCH DAMASCO FABRIC
2. VISCOELASTIC (V1 - S/V) + NATURAL BREATHABLE AND HEAT-REGULATING FIBRES + TNT FABRIC
3. Perimeter and dorsal reinforced Bonnell spring unit + protective and weight distribution felt layer
4. VISCOELASTIC (V1 - S/V) + NATURAL BREATHABLE AND HEAT-REGULATING FIBRES + TNT FABRIC
5. FIRE-RETARDANT STRETCH DAMASCO FABRIC

POINT is the best choice for outfitting all kinds of facilities. It offers great firmness and adaptability with an excellent combination of cutting-edge materials. This mattress is particularly suitable for public and collective installations, complying with the UNE-EN 597/1-2 standard.

Thickness: 23-22 cm

Composition:

Top layer: flame retardant Stretch fabric + 10 mm viscoelastic + 20 mm foam + 150 g fibre + 15 gr TNT

Core: Bonnell spring unit

Bottom layer: flame retardant Stretch fabric + 10 mm viscoelastic + 20 mm foam + 150 g fibre + 15 gr TNT

Side band:

Fabric: flame retardant Stretch fabric + 160 g fibre + 30 gr TNT

Features

Internally, it is equipped with a Bonnell spring unit structure providing exceptional comfort. POINT is breathable, promoting the evaporation of heat and moisture from the mattress, contributing to a great sense of comfort. Its fabric also stands out for its hypoallergenic treatment, protecting the user against microorganisms, bacteria, and dust mites. It comes with side handles for easy handling.

Certifications

The mattress is fire-resistant, complying with the UNE-EN 597/1-2 standard for maximum safety and protection against fire.

It holds the OEKO-TEX® certificate, ensuring that all materials used in its manufacturing are not harmful to the user's health.

Seniorcare Interiors holds the ISO 9001 and ISO 14001 certifications, attesting that its work processes maintain a high standard of quality, covering the entire product lifecycle from the design phase to production and subsequent distribution of the product.



Seniorcare Interiors is certified to ISO 9001 and ISO 14001 standards.